Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application. Listing of claims:

1. (Currently amended) A compound of formula (I),

$$R_{2}$$
 $N-R_{1}$
 $C(CR_{13}R_{14})_{x}$
 $G(R_{16}R_{15}C)_{y}$
 W
 (I)

or a pharmaceutically-acceptable salt or hydrate, thereof, in which:

R₁ is hydrogen or C₁₋₆alkyl-or is taken together with R₂ or R₃ to form a monocyclic or bicyclic aryl, eycloalkyl, heteroaryl or heterocycle;

 R_2 is C_{1-6} alkyl or C_{2-6} alkenyl optionally substituted with one to three aryl, cycloalkyl, or heteroaryl, provided that where G is C_{2-6} alkenyl, A_1 -NR₁₈CO₂R₁₉, or A_1 -SO₂R₁₇, or when y is 0, R₂ is may be or C_{1-6} alkyl or C_{2-6} alkenyl, each optionally substituted with heteroaryl;

G is selected from A_1 -NR₁₈C(=O)R₁₉₇, A_1 -NR₁₈SO₂R₁₇, A_2 -NR₁₈CO₂R₁₉, and A_1 -NR₂₀C(=O)NR₁₈R₁₉ wherein A_1 -is a bond, C_1 falkylene, or C_2 falkenylene, or where G is A_1 -NR₁₈CO₂R₁₉, or when y is 0, R₂ is may be C₁₋₆alkyl or C₂₋₆alkenyl, each optionally substituted with heteroaryl;

W is selected from substituted or unsubstituted heterocyclo, heteroaryl, or cycloalkyl selected from azetidinyl and imidazolyl, each optionally substituted with lower alkyl;

R₁₃, R₁₄, R₁₅ and R₁₆ are <u>hydrogen</u> selected independently of each other from hydrogen, alkyl; substituted alkyl, amino, alkylamino, hydroxy, alkoxy, aryl, eyeloalkyl, heteroaryl, or heterocyclo; or R₁₃ and R₁₄, or R₁₅ and R₁₆, when attached to the same carbon atom, may join to form a spirocycloalkyl ring;

R₁₇ is alkyl, substituted alkyl, cycloalkyl, aryl, heterocyclo, or heteroaryl;

R₁₈, R₁₉, and R₂₀ are independently selected from hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, aryl, heteroaryl, cycloalkyl, heterocyclo, or C(=O)R₂₈; or when G is NH(C=O)R₁₉, R₁₉ may be a bond joined to W to define a heterocyclo ring; provided, however, that when y is at least one, W is imidazolyl, indolyl, NR₂₁R₂₂, or OR₂₂, and G is -NR₁₈C(=O)R₁₉, then R₁₉ is not a C₁-alkyl having the substituent -NR₂₉R₃₁;

 R_{29} and R_{31} are selected from hydrogen, alkyl, haloalkyl, hydroxyalkyl, phenylalkyl, and alkoxycarbonylalkyl, or R_{29} and R_{31} taken together form a heterocyclo ring;

x is 0, 1, or 2; and

y is 0, 1, 2, 3 or 4.

2. (Currently amended) A compound according to claim 1, or a pharmaceutically-acceptable salt or hydrate, thereof, in which:

G is selected from:

 $e - NR_{18}C(=O)R_{19}$;

b) C₁₋₆alkylene or C₂₋₆alkenylene joined to one of NR₁₈C(=O)R₁₉, -NR₁₈CO₂R₁₉, -NR₁₈CO₂R₁₉, -NR₁₈CO₂R₁₉, and -NR₂₀C(=O)NR₁₈R₁₉;

R₁₇ is C₁₋₄alkyl, C₅₋₆cycloalkyl, phenyl, or benzyl;

 R_{18} , R_{19} , and R_{20} are independently selected from hydrogen, $C_{1\text{-4}}$ alkyl, phenyl, benzyl, $C_{5\text{-}}$ 6cycloalkyl, $-C(=O)CH_2(\text{phenyloxy})$, $-C(=O)CH_2(\text{benzyloxy})$, imidazolyl, pyridyl, furyl, thienyl, or $C_{1\text{-4}}$ alkyl or $C_{2\text{-4}}$ alkenyl substituted with one of phenyl, pyridyl, furyl, cyclopentyl, cyclohexyl, CO_2Me , phenyloxy, or benzyloxy, wherein each ringed group of R_{18} , R_{19} , and R_{20} in turn is optionally substituted with one to two R_{36} , and/or optionally has a benzene ring or five membered heterocyclo having two oxygen atoms fused thereto; and

 R_{36} is halogen, methoxy, nitro, phenyl, phenyloxy, or alkylamino.

3. (Currently amended) A compound according to claim 2, or a pharmaceutically-acceptable salt or hydrate,-thereof, in which

R₁₈ is hydrogen or lower alkyl, and

R₁₉ is C_{1.4}alkyl, C_{2.4}alkenyl, phenyl, benzyl, C_{5.6}cycloalkyl, -C(=O)CH₂(phenyloxy), -C(=O)CH₂(benzyloxy), imidazolyl, pyridyl, furyl, thienyl, or C_{1.4}alkyl or C_{2.4}alkenyl substituted with one of phenyl, phenyl, pyridyl, furyl, cyclopentyl, cyclohexyl, CO₂Me, phenyloxy, and benzyloxy, wherein each ringed group of R₁₉ in turn is optionally substituted with one to two R₃₆, and/or optionally has a benzene ring or five membered heterocyclo having two oxygen atoms fused thereto.

- 4. (Previously Presented) A compound according to claim 2, or a pharmaceutically-acceptable salt or hydrate, thereof, in which W is azetidinyl or imidazolyl.
- 5. (Previously Presented) A compound according to claim 1, or a pharmaceutically-acceptable salt or hydrate, thereof, having the formula:

in which

K is phenyl or thiazolyl;

R₃₀ is selected from C₁₋₄alkyl, hydroxy, alkoxy, halogen, nitro, cyano, amino, alkylamino, phenyl, and -C(=O)phenyl;

t is 0, 1 or 2; and

y is 0, 1 or 2.

- 6. (Canceled)
- 7. (Previously presented) A compound according to claim 1, or a pharmaceutically-acceptable salt or hydrate, thereof, in which

W is a ring selected from:

R₃₄ at each occurrence is attached to any available carbon or nitrogen atom of W and is selected from

 C_{1-6} alkyl

u is selected from 0, 1, 2, and 3; and

 ν is 0, 1 or 2.

8.-9. (Canceled)

10. (Previously presented) A compound according to claim 1, or a pharmaceutically-acceptable salt or hydrate, thereof, in which


 R_2 is selected from C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkenylene-K, and $-(CH_2)_g$ -K;

K is selected from phenyl, napthyl, thienyl, thiazolyl, pyridinyl, pyrimidinyl, and C_{5-6} cycloalkyl, wherein each group K in turn is optionally substituted with one to three R_{30} or has a benzene ring fused thereto, which also may be substituted with one to three R_{30} ;

 R_{30} is selected from C_{1-4} alkyl, hydroxy, alkoxy, halogen, nitro, cyano, amino, alkylamino, phenyl, and acylphenyl; and

g is 0, 1, 2 or 3.

11. (Currently Amended) A compound according to claim 1, or a pharmaceutically-acceptable salt or hydrate, thereof, in which $-N(R_1)$ -CH(R_2)- taken together are selected from,



- 12. (Previously presented) A compound according to claim 1, or a pharmaceutically-acceptable salt or hydrate, thereof, in which R_1 is hydrogen or C_{1-4} alkyl.
- 13. (Canceled)
- 14. (Currently amended) A compound having the formula,

$$\begin{array}{c}
O \\
R_2 \\
N \\
R_1 \\
O \\
(CH_2)_x \\
G \\
(H_2C)_y \\
W
\end{array}$$

or a pharmaceutically-acceptable salt or hydrate, thereof, in which:

 R_1 is hydrogen or C_{1-6} alkyl-or is taken together with R_2 or R_3 to form a monocyclic or bicyclic aryl, eycloalkyl, heteroaryl or heterocycle;

 R_2 is C_{1-6} alkyl or C_{2-6} alkenyl optionally substituted with one to three-aryl, cycloalkyl, or heteroaryl, provided that where G is C_{2-6} alkenyl, or $[A_1]$ -NR₁₈CO₂R₁₉, or A_1 -SO₂R₁₇₇, or when y is 0, R₂ may be or C_{1-6} alkyl or C_{2-6} alkenyl, each optionally substituted with heteroaryl;

G is selected from:

 $e > NR_{18}C(=O)R_{19}$

b) $C_{1.6}$ alkylene or $C_{2.6}$ alkenylene joined to one of $-NR_{18}C(=O)R_{19}$, $-NR_{18}CO_{2}R_{19}$, and $-NR_{20}C(=O)NR_{18}R_{19}$?

W is selected from -substituted or unsubstituted heterocyclo, heteroaryl, or cycloalkyl selected from azetidinyl and imidazolyl, each optionally substituted with lower alkyl;

R₁₇ is alkyl, substituted alkyl, cycloalkyl, aryl, heterocyclo, or heteroaryl;

R₁₈, R₁₉, and R₂₀ are independently selected from hydrogen, alkyl, alkenyl, aryl, heteroaryl, cycloalkyl, heterocyclo, C(=O)R₂₈ or a C₁₋₄alkyl or C₂₋₄alkenyl substituted with one or more of aryl, heteroaryl, cycloalkyl, heterocyclo, alkoxycarbonyl, phenyloxy, and/or benzyloxy, and each of said ringed groups of R₁₈, R₁₉, and R₂₀ in turn is optionally substituted with one to two R₃₆;

 R_{21} and R_{22} are selected from alkyl and substituted alkyl;

R₃₆ is halogen, methoxy, nitro, phenyl, phenyloxy, or alkylamino;

x is 0, 1, or 2; and

y is 0, 1, 2, 3 or 4.

15. (Canceled)

16. (Previously presented) A compound according to claim 14, or a pharmaceutically-acceptable salt or hydrate, thereof, in which E is

- 17. (Previously presented) A compound according to claim 14, or a pharmaceutically-acceptable salt or hydrate, thereof, in which G is NHC(=O)(alkyl) or NHC(=O)phenyl.
- 18. (Previously presented) A compound according to claim 1, having the formula,

pharmaceutically-acceptable salt or hydrate, thereof.

19. (Previously presented) A pharmaceutical composition comprising at least one compound according to claim 1 or a pharmaceutically-acceptable salt or hydrate, thereof; and a pharmaceutically-acceptable carrier or diluent.

20. - 23. (Canceled)